

Multiple Selection

SIUC/Core Institute
1226 Douglas Drive
(618) 453-4368
Carbondale, IL 62901

Consortium Number =
Institution Number =
Number of Surveys = 7612

Executive Summary

Core Alcohol and Drug Survey - Long Form

Monday, July 17, 2006
Page 1 of 8

Multiple Selection

CORE ALCOHOL AND DRUG SURVEY LONG FORM - FORM 194

EXECUTIVE SUMMARY

The Core Alcohol and Drug Survey was developed to measure alcohol and other drug usage, attitudes, and perceptions among college students at two and four-year institutions. Development of this survey was funded by the U.S. Department of Education. The survey includes several types of items about drugs and alcohol. One type deals with the students' attitudes, perceptions, and opinions about alcohol and other drugs, and the other deals with the students' own use and consequences of use. There are also several items on students' demographic and background characteristics as well as perception of campus climate issues and policy.

Key Findings from students at Multiple Selection

Following are some key findings on the use of alcohol:

- 84.1% of the students consumed alcohol in the past year ("annual prevalence").
- 71.8% of the students consumed alcohol in the past 30 days ("30-day prevalence").
- 64.9% of underage students (younger than 21) consumed alcohol in the previous 30 days.
- 44.5% of students reported binge drinking in the previous two weeks. A binge is defined as consuming 5 or more drinks in one sitting.

Following are some key findings on the use of illegal drugs:

- 23.5% of the students have used marijuana in the past year ("annual prevalence").
- 11.6% of the students are current marijuana users ("30-day prevalence").
- 9.4% of the students have used an illegal drug other than marijuana in the past year ("annual prevalence").
- 4.8% of the students are current users of illegal drugs other than marijuana ("30-day prevalence").

The most frequently reported illegal drugs used in the past 30 days were:

- 11.6% Marijuana (pot, hash, hash oil)
- 2.3% Amphetamines (diet pills, speed)
- 1.9% Sedatives (downers, ludes)

Multiple Selection

SIUC/Core Institute
1225 Douglas Drive
(618) 453-4366
Carbondale, IL 62901

Consortium Number =
Institution Number =
Number of Surveys = 7612

Executive Summary

Core Alcohol and Drug Survey - Long Form
Monday, July 17, 2006
Page 2 of 8

Following are some key findings on the consequences of alcohol and drug use:

- 34.7 % reported some form of public misconduct (such as trouble with police, fighting/argument, DWI/DUI, vandalism) at least once during the past year as a result of drinking or drug use.
- 24.7 % reported experiencing some kind of serious personal problems (such as suicidality, being hurt or injured, trying unsuccessfully to stop using, sexual assault) at least once during the past year as a result of drinking or drug use.

Following are some key findings on opinions about the campus environment:

- 90.0 % of students said the campus has alcohol and drug policies;
9.8 % said they "don't know"; and
0.2 % said there wasn't a policy.
- 47.4 % of students said the campus has an alcohol and drug prevention program;
49.6 % said they "don't know"; and
3.0 % said there wasn't a program.
- 72.6 % of students said the campus is concerned about the prevention of drug and alcohol use;
15.1 % said they "don't know"; and
12.2 % said the campus is not concerned.

With regard to students' perceptions of other students' use:

- 91.5 % of students believe the average student on campus uses alcohol once a week or more.
- 36.8 % of students believe the average student on this campus uses some form of illegal drug at least once a week.
- 27.0 % of students indicated they would prefer not to have alcohol available at parties they attend.
- 87.0 % of students indicated they would prefer not to have drugs available at parties they attend.

Multiple Selection

SIUC/Core Institute
1225 Douglas Drive
(618) 453-4366
Carbondale, IL 62901

Consortium Number =
Institution Number =
Number of Surveys = 7612

Executive Summary

Core Alcohol and Drug Survey - Long Form

Monday, July 17, 2006
Page 3 of 8

The following percentages of survey respondents said they saw drinking as a central part of the social life of the following groups:

- 90.8 % of the respondents said they saw drinking as central in the social life of male students.
- 79.7 % of the respondents said they saw drinking as central in the social life of female students.
- 16.5 % of the respondents said they saw drinking as central in the social life of faculty/staff.
- 47.9 % of the respondents said they saw drinking as central in the social life of alumni.
- 66.6 % of the respondents said they saw drinking as central in the social life of athletes.
- 70.1 % of the respondents said they saw drinking as central in the social life of fraternities.
- 63.5 % of the respondents said they saw drinking as central in the social life of sororities.
- 64.8 % of the students said they believe the social atmosphere on campus promotes alcohol use.
- 14.1 % of the students said they believe the social atmosphere on campus promotes drug use.
- 6.3 % of the students said they do not feel safe on campus.

Compared to other campuses...

- 12.4 % feel that alcohol use is greater
- 33.2 % feel that alcohol use is less
- 54.4 % feel alcohol use is about the same

On the Core Alcohol and Drug Survey, respondents were asked to report whether students on this campus cared about a number of campus climate issues (with the response options being "not at all", "slightly", "somewhat", and "very much"). The following percentages of respondents on this campus indicated that their fellow students cared "somewhat" or "very much" about the following issues:

- 83.9 % said students cared about sexual assault
- 75.1 % said students cared about assaults that are non-sexual
- 72.7 % said students cared about harassment because of race or ethnicity
- 65.9 % said students cared about harassment because of gender
- 64.7 % said students cared about harassment because of sexual orientation
- 58.9 % said students cared about harassment because of religion
- 58.7 % said students cared about campus vandalism
- 39.1 % said students cared about alcohol and other drug use

Multiple Selection

SIUC/Core Institute
 1225 Douglas Drive
 (815) 463-4366
 Carbondale, IL 62901

Consortium Number =
 Institution Number =
 Number of Surveys = 7612

Executive Summary

Core Alcohol and Drug Survey - Long Form
 Monday, July 17, 2006
 Page 4 of 8

Table 1 shows the percentage of students who reported having experienced any of the following within the last year and, if so, the percentage who reported consuming alcohol or other drugs shortly before these incidents.

Table 1 - Experiences of Harassment or Violence

<u>Experience</u>	<u>Used Alcohol or Drugs</u>	<u>Incident</u>
6.4%	12.1%	Ethnic or racial harassment
9.9%	39.4%	Threats of physical violence
3.8%	50.8%	Actual physical violence
1.6%	24.8%	Theft involving force or threat of force
5.2%	64.8%	Forced sexual touching or fondling
3.0%	77.6%	Unwanted sexual intercourse

On the Core Alcohol and Drug Survey, students were asked to rate the degree of risk people take when they act in certain ways, listed below. The response options were, "no risk", "slight risk", "moderate risk", "great risk", and "can't say". The numbers listed below indicate the percentage of respondents who felt there was "great risk" associated with the following behaviors:

- 9.5% try marijuana once or twice
- 18.3% smoke marijuana occasionally
- 51.8% smoke marijuana regularly
- 48.3% try cocaine once or twice
- 86.1% take cocaine regularly
- 55.3% try LSD once or twice
- 85.3% take LSD regularly
- 49.3% try amphetamines once or twice
- 80.9% take amphetamines regularly
- 15.9% take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day
- 62.4% take four or five drinks nearly every day
- 43.2% have five or more drinks in one sitting
- 57.3% take steroids for body building or improved athletic performance
- 38.5% consume alcohol prior to being sexually active
- 42.9% regularly engage in unprotected sexual activity with a single partner
- 90.6% regularly engage in unprotected sexual activity with multiple partners

Sexual Behavior:

58.1% of the students reported engaging in sexual intercourse within the past year. Of these, 19.7% used alcohol the last time they had intercourse and 4.3% used drugs.

Multiple Selection

SIUC/Core Institute
1226 Douglas Drive
(618) 453-4388
Carbondale, IL 62901

Consortium Number =
Institution Number =
Number of Surveys = 7812

Executive Summary
Core Alcohol and Drug Survey - Long Form

Monday, July 17, 20
Page 5 of 6

In the last 30 days, the following percentages of students engaged in the behaviors described below:

- 68.7 % refused an offer of alcohol or other drugs
- 21.3 % bragged about alcohol or other drug use
- 79.2 % heard someone else brag about alcohol or other drug use
- 5.7 % carried a weapon such as a gun, knife, etc. (not hunting or job related)
- 40.0 % experienced peer pressure to drink or use drugs
- 13.4 % held a drink to have people stop bothering you about why you weren't drinking
- 21.5 % thought a sexual partner was not attractive because he/she was drunk
- 12.6 % told a sexual partner that he/she was not attractive because he/she was drunk

The following data describes how students say their friends would feel if they...

- Tried marijuana once or twice - 53.3 % of their friends would disapprove
- Smoked marijuana occasionally - 69.1 % of their friends would disapprove
- Smoked marijuana regularly - 87.2 % of their friends would disapprove
- Tried cocaine once or twice - 92.0 % of their friends would disapprove
- Took cocaine regularly - 98.2 % of their friends would disapprove
- Tried LSD once or twice - 91.8 % of their friends would disapprove
- Took LSD regularly - 98.1 % of their friends would disapprove
- Took one or two drinks every day - 59.7 % of their friends would disapprove
- Took four or five drinks every day - 89.1 % of their friends would disapprove
- Had five or more drinks at one sitting - 50.2 % of their friends would disapprove

The following are some key findings on the perceived effects of alcohol:

- 78.3 % say it breaks the ice
- 75.3 % say it enhances social activity
- 41.5 % say it makes it easier to deal with stress

- 63.0 % say it facilitates a connection with peers
- 71.8 % say it gives people something to talk about

- 61.2 % say it facilitates male bonding
- 49.1 % say it facilitates female bonding

- 64.2 % say it allows people to have more fun
- 77.6 % say it gives people something to do
- 18.9 % say it makes food taste better

- 27.8 % say it makes women sexier
- 17.5 % say it makes men sexier
- 17.9 % say it makes me sexier
- 55.2 % say it facilitates sexual opportunity

Multiple Selection

SIUC/Core Institute
 1225 Douglas Drive
 (618) 453-4368
 Carbondale, IL 62901

Consortium Number =
 Institution Number =
 Number of Surveys = 7612

Executive Sum

Core Alcohol and Drug Survey - Long

Monday, July 17
 Page

Use of Drugs

The following tables provide additional details about students' reported use of drugs at this institution. Unless otherwise indicated, percentages are based on the total number of students responding validly to a given item.

For comparison purposes some figures are included from a reference group of 59668 students from 132 institutions from the 2005 Aggregated National Data.

In general, substantial proportions of students report having used alcohol, tobacco, and marijuana in response to the question, "At what age did you first use _____?" whereas comparatively few report having used each of the other substances. This question examines "lifetime prevalence" as opposed to annual prevalence and 30-day prevalence.

Table 2 describes lifetime prevalence, annual prevalence, 30-day prevalence, and high frequency use (3 times a week or more).

Table 2 - Substance Use

Substance	Lifetime Prevalence		Annual Prevalence		30-Day Prevalence		3X/Week or more	
	Coll.	Ref.	Coll.	Ref.	Coll.	Ref.	Coll.	Ref.
Tobacco	49.1	52.5	38.5	40.9	25.1	29.0	14.6	17.0
Alcohol	86.7	87.2	84.1	84.0	71.8	71.4	20.5	23.5
Marijuana	38.0	45.7	23.5	31.0	11.6	17.5	4.4	6.5
Cocaine	6.8	8.8	3.0	5.3	1.0	2.4	0.2	0.4
Amphetamines	12.8	14.0	4.8	6.6	2.3	3.4	1.1	1.7
Sedatives	7.5	7.7	3.6	4.4	1.9	2.1	0.4	0.5
Hallucinogens	7.2	8.2	2.6	3.9	0.7	1.2	0.1	0.2
Opiates	2.4	2.9	0.8	1.5	0.4	0.8	0.2	0.3
Inhalants	3.8	4.1	0.7	1.4	0.3	0.7	0.1	0.2
Designer drugs	4.6	7.4	1.5	2.9	0.5	1.0	0.1	0.2
Steroids	0.8	1.3	0.4	0.8	0.3	0.6	0.2	0.3
Other drugs	4.1	4.3	1.7	2.2	0.7	1.0	0.1	0.2

Notes:

Coll. = Multiple Selection

Ref. = Reference group of 59668 college students

Multiple Selection

SIUC/Core Institute
 1226 Douglas Drive
 (618) 463-4366
 Carbondale, IL 62901

Consortium Number =
 Institution Number =
 Number of Surveys = 7612

Executive Summary

Core Alcohol and Drug Survey - Long Form

Monday, July 17, 2006
 Page 7 of 8

The average number of drinks consumed per week at this institution is 5.2 drinks. The national average is 5.8 drinks (based on a sample of 58817). The percentage of students who report having binged in the last two weeks at this institution is 44.5% compared to the national average of 47%.

Consequences of Alcohol and Drug Use

The proportion of students who report having had problems as a result of drinking or drug use is another indicator of the level of substance abuse. The percentages of students who reported that within the past year they had various problematic experiences are given in Table 3. The top group of items represents public misconduct or behaviors that involve actual or potential harm to others. The second group represents possibly serious personal problems. The last group may consist of less serious (and more common) experiences which nevertheless may indicate excessive use.

Table 3 - Problematic Experiences

<u>This Institution</u>	<u>Reference Group</u>	<u>Experience</u>
1.0	1.7	Been arrested for DWI/DUI
11.4	14.0	Been in trouble with police, residence hall, or other college authorities
6.2	7.1	Damaged property, pulled fire alarms, etc.
23.8	26.6	Driven a car while under the influence
28.9	32.3	Got into an argument or fight
1.2	1.5	Tried to commit suicide
4.7	4.5	Seriously thought about suicide
14.9	15.6	Been hurt or injured
10.0	10.6	Been taken advantage sexually
3.3	3.4	Taken advantage of another sexually
4.8	5.3	Tried unsuccessfully to stop using
10.5	10.6	Thought I might have a drinking or other drug problem
17.8	22.7	Performed poorly on a test or important project
36.3	37.5	Done something I later regretted
26.3	31.0	Missed a class
29.7	30.4	Been criticized by someone I know
34.1	33.5	Had a memory loss
52.7	53.6	Got nauseated or vomited
59.8	62.4	Had a hangover

Multiple Selection

SIUC/Core Institute
 1226 Douglas Drive
 (618) 463-4366
 Carbondale, IL 62901

Consortium Number =
 Institution Number =
 Number of Surveys = 7612

Executive Summary

Core Alcohol and Drug Survey - Long Form

Monday, July 17, 200
 Page 8 of

Differences among Student Groups

Table 4 compares substance use patterns and consequences of several campus groups: males and females, younger and older, academically more and less successful, and on and off-campus residents.

Table 4 - Differences among Student Groups

	Gender		Age		Average Grades		Campus Residence	
	Female	Male	16-20	21+	A-B	C-F	On	Off
Sample Sizes:	4427	3141	4031	3542	6616	927	4223	3323
Currently use (in the past 30 days) alcohol	70.7	73.4	65.0	79.6	72.0	70.9	69.3	74.9
Currently use (in the past 30 days) marijuana	9.4	14.6	12.1	11.1	10.3	20.6	9.9	13.6
Currently use (in the past 30 days) illegal drugs other than marijuana	4.4	5.3	4.6	4.9	4.2	8.5	3.6	6.1
Had 6 or more binges in the past 2 weeks	3.1	7.9	4.7	5.7	4.7	8.4	4.1	6.3
Have driven a car while under the influence during past year	20.5	28.5	19.5	28.8	22.5	33.7	16.7	32.8
Have been taken advantage of sexually during past year	11.0	8.7	11.1	8.8	9.7	12.5	9.9	10.3
Have taken advantage of another sexually during past year	2.2	4.8	3.0	3.6	3.0	5.1	2.9	3.8

Sample Demographics

Following are some summary characteristics of the students who completed and returned the questionnaire.

- 30.0% were freshmen
- 21.2% were sophomores
- 18.6% were juniors
- 19.1% were seniors
- 10.2% were graduates
- 0.9% were other
- 80.1% were in the "typical" college age range of 18-22.
- 58.5% were female.
- 44.0% lived off campus.
- 55.9% worked part-time or full-time.
- 93.3% were full-time students.
- 28.8% reported spending at least 5 hours per month in volunteer work.

Indiana State University Comparative Statistics

Item	Indiana State	Indiana Consortium	National Benchmark
ETOL in past year	84.3	84.1	84.5
ETOL in past month	68.4	71.8	72.8
<21 yo ETOL in past month	58.2	64.9	
Binge w/i 2 weeks	39.5	44.5	
Annual Marijuana	21.8	23.5	27.7
Current Marijuana	11.5	11.6	
Annual other than Marijuana	10.9	9.4	15.0
30-day other than Marijuana	5.0	4.8	
Misconduct	35.6	34.7	26.4
Serious Personal Problems	24.2	24.7	20.0
Knowledge of drug/ETOL policies	82.4	90.0	
Don't know of policies	17.5	9.8	
Believe there is no policy	0.1	0.2	
Know of campus prevention programs	26.0	47.4	
Don't know of campus prevention programs	70.2	49.6	
Believe there is no campus prevention policy	3.8	3.0	
Believe campus is concerned about prevention	57.6	72.6	
Don't know if campus is concerned about prevention	24.1	15.1	
Believe campus is not concerned about prevention	18.4	12.2	

Student Perceptions

Belief that drinking is central to social life

	Male	Female	Faculty/Staff	Alumni	Athletes	Fraternity	Sorority
ISU	91.3	81.0	20.4	41.9	59.0	94.7	87.5
Consortium	90.8	79.7	16.5	47.9	66.6	70.1	63.5

Perception of ETOL use compared to other campuses

	Indiana State	Indiana Consortium
ETOL use is greater	8.5	12.4
ETOL use is less	24.8	33.2
ETOL use is the same	66.7	54.4

Perception that the campus “climate” cares somewhat of very much about the following:

Item	Indiana State	Consortium
Sexual Assault	83.5	83.9
Non-sexual Assault	74.7	75.1
Race/Ethnicity Harassment	73.4	72.7
Gender Harassment	65.7	65.9
Sexual Orientation Harassment	63.6	64.7
Religious Harassment	56.6	58.9
Campus Vandalism	55.7	58.7
ETOL and Drug use	38.1	39.1

Total Participants in Survey

Indiana State University	Indiana Consortium	National Sample	% of ISU student participants in the Indiana Consortium
n=1410	n=7612	N=33,379	18.6%